

PDFBraindumps



Latest Pdf Braindumps	Top Certifications	Top Vendors		
<ul style="list-style-type: none">▶ LRP-614▶ BCABA▶ JN0-740▶ 250-405▶ DS-200▶ SDM_2002001040▶ ST0-250▶ H12-221▶ M2180-716	<ul style="list-style-type: none">▶ ISEB Certification▶ OCE▶ NVIDIA Certifications▶ Network+▶ IBM Certified Integrat▶ CCDH▶ IBM Certified Advanc▶ eserver Certified Spe▶ SAP-Certifications▶ Network Appliance N	<ul style="list-style-type: none">▶ HCNP▶ IFPUG Certifications▶ dotMobi Certification▶ SCMA▶ MCSD▶ NCLP▶ XMLMaster Certificat▶ CS5▶ CHA	<ul style="list-style-type: none">▶ ISEB▶ ASTQB▶ Aruba▶ Data Center Universit▶ HRCI▶ CIW▶ Patchlink▶ International Consorti▶ Acme-Packet	<ul style="list-style-type: none">▶ Fortinet▶ Ericsson▶ Liferay▶ Novell▶ Huawei▶ RSA▶ MYSQL▶ ISM▶ CheckPoint

<http://www.pdfbraindumps.com>

Latest pdf braindumps provider, high pass rate

Exam : 000-202

Title : Enterprise Storage Technical
Support Specialist V1

Vendors : IBM

Version : DEMO

NO.1 A banking customer has two sites located 40 kilometers apart. The customer has both a high-speed Internet link and dark fiber between the sites. The customer wants to utilize storage resources at either site, such as MetroCluster and Metro Mirroring for disaster recovery implementations. The customer wants to link these two sites together. Which of the following networking technologies provides the highest native bandwidth?

- A.DWDM or CWDM pipe
- B.iFCP router
- C.FCIP router and 100Mb Ethernet
- D.PPRC and SyncMirror

Answer: A

NO.2 A customer has requested an IBM System Storage DS8300 system for a new Exchange email solution. The storage specialist has been asked to model a configuration using the expected workload to verify that it is a viable solution. Which of the following is needed to start modeling?

- A.Total number of emails
- B.Amount of IOPS per mail box
- C.Number of servers running Exchange
- D.Jetstress tool to emulate the Exchange environment

Answer: B

NO.3 Secure Shell (SSH) is used to secure the data flow between the SVC cluster and the client. Which key secures the connection?

- A.Host key
- B.Public key only
- C.Private key only
- D.Private and Public keys

Answer: D

NO.4 A conglomerate has recently acquired several new companies. Which product allows a Storage Administrator to set storage utilization alerts for the DS8000, DS5000, SAN Volume

Controller, and EMC

DMX?

- A. IBM Tivoli Storage Productivity Center for Fabric
- B. IBM Tivoli Storage Productivity Center for Disk
- C. IBM Tivoli Storage Productivity Center for Data
- D. IBM Tivoli Storage Manager (TSM)

Answer: B

NO.5 A customer is planning to purchase a N6040 Gateway with SnapManager for Exchange licensed. All

available storage lies behind an SVC. Where should the N6040 be placed in the network?

- A. Between the SVC and the disk storage
- B. Alongside the SVC, then the email servers should be mapped to both
- C. In the place of the SVC
- D. Between the SVC and the email servers

Answer: D

NO.6 A UNIX customer has a Symmetrix DMX that has crashed three times in the past six months, causing

data loss. The customer is shopping for an enterprise storage solution to provide point-in-time copy

functionality without a fixed relationship to its primaries. Which IBM solution best meets this customer's

requirements?

- A. IBM System Storage DS8700 and VolumeCopy
- B. IBM System Storage DS8700 and FlashCopy
- C. IBM System Storage DS8700 and FlashCopy with the NoCopy option
- D. IBM System Storage DS8700 and FlashCopy with the Persistent option

Answer: B

NO.7 Your customer is purchasing an IBM TS3500 Tape Library and 3953 Library Manager.

You need to

provide the customer with the detailed worksheets to complete for the installation. In which of the

following resources do you find these worksheets?

- A. 3953 Tape System SAPR Guide
- B. 3953 Introduction and Planning Guide
- C. TS3500 Introduction and Planning Guide

D.IBM TS3500 Tape Library with System z Attachment Guide

Answer: A

NO.8 Which of the following is the most complete source of information for power, cooling, and floor space requirements for IBM tape products?

A.Capacity Magic

B.Tape Magic

C.Product announcement letters

D.Installation and Planning Guide

Answer: D

NO.9 A large customer needs an IBM SVC solution to be scalable to over 1PB of addressable storage. What is the constraining factor that determines whether the SVC can scale up to this size?

A.Extent size used

B.Number of MDisks supported

C.Number of SVC storage engines

D.Size of VDisks presented to a host

Answer: A

NO.10 A university customer is considering replacement of existing tape subsystems. Which IBM tape interface architecture has the best performance and distance characteristics?

A.NDMP

B.iSCSI

C.SAS

D.Fibre Channel

Answer: D