

PDFBraindumps



Latest Pdf Braindumps	Top Certifications	Top Vendors		
<ul style="list-style-type: none">▶ LRP-614▶ BCABA▶ JN0-740▶ 250-405▶ DS-200▶ SDM_2002001040▶ ST0-250▶ H12-221▶ M2180-716	<ul style="list-style-type: none">▶ ISEB Certification▶ OCE▶ NVIDIA Certifications▶ Network+▶ IBM Certified Integrat▶ CCDH▶ IBM Certified Advanc▶ eserver Certified Spe▶ SAP-Certifications▶ Network Appliance N	<ul style="list-style-type: none">▶ HCNP▶ IFPUG Certifications▶ dotMobi Certification▶ SCMA▶ MCSD▶ NCLP▶ XMLMaster Certificat▶ CS5▶ CHA	<ul style="list-style-type: none">▶ ISEB▶ ASTQB▶ Aruba▶ Data Center Universit▶ HRCI▶ CIW▶ Patchlink▶ International Consorti▶ Acme-Packet	<ul style="list-style-type: none">▶ Fortinet▶ Ericsson▶ Liferay▶ Novell▶ Huawei▶ RSA▶ MYSQL▶ ISM▶ CheckPoint

<http://www.pdfbraindumps.com>

Latest pdf braindumps provider, high pass rate

Exam : **C2030-136**

Title : Rational Application
Developer v7

Vendor : IBM

Version : DEMO

NO.1 A developer has been using Application Developer on the same machine for some time and across several workspaces.

When starting up the test application server, error messages appear in the SystemOut.log for applications which do not exist in the current workspace and which are no longer required.

What is the best way to stop these errors from occurring?

- A. use the Add and Remove application options from the servers view and remove the applications which are no longer required
- B. remove the workspace from which the applications were originally published
- C. edit the Server configuration and remove references to them
- D. open the administration console and select Uninstall application for the application no longer required

Answer: D

NO.2 A developer has added a Message Driven Bean to an EJB project which already has session beans working. Which additional resources must be configured for the server to make the Message Driven Bean work successfully?

- A. database connections for the database resources used by the bean
- B. security roles for the actions resources available from the bean
- C. JMS settings for the queues used by the bean
- D. additional shared library resources for the activities performed by the bean
- E. transactional support across several calls by the bean

Answer: C

NO.3 Which three statements are true about creating an EJB project and enabling the creation of a separate EJB client project? (Choose three.)

- A. The client project holds the home and component interfaces of the enterprise beans.
- B. The resulting jar file from the EJB client project can be deployed together with a client application that accesses the EJBs.
- C. The EJB client project depends on the resulting EJB project, but the EJB project does not depend on the EJB client project.
- D. The resulting jar file from the EJB client project is added to the containing enterprise application (EAR) as a utility jar.

Answer: A,B,D

NO.4 An application is being run in Application Developer and needs some resources from the local WebSphere Application Server.

Which four resources can be configured as application resources from the Administration console? (Choose four.)

- A. data sources
- B. shared java libraries
- C. Java Messaging Services (JMS) configuration
- D. Web application URLs available to security roles
- E. groups from an LDAP server which map to security roles

Answer: A,B,C,E

NO.5 Which statement best defines a Java project in Rational Application Developer?

- A. There is only one Java project in a workspace.
- B. It is defined in the Java Standard Edition specification.
- C. It contains source code needed to create a Java application.
- D. It is used to create and maintain Enterprise JavaBeans.

Answer: C

NO.6 Which definition best describes the activities of an Agent Controller when performing profiling on a remote server?

- A. a software process running on the development machine which sends commands and processes responses from the remote server
- B. a software process on the remote server which allows external systems to interact with the profiling Process
- C. also on the remote server
- D. a software process on the remote server which directly interacts with the application server processes by executing the commands received from the development machine
- E. a software process on the remote server which gathers variables and information about the current code context by monitoring the heap and the Java process information and sends it back to the development machine

Answer: B