

# PDFBraindumps



Latest Pdf Braindumps	Top Certifications	Top Vendors
▶ LRP-614	▶ ISEB Certification	▶ ISEB
▶ BCABA	▶ OCE	▶ ASTQB
▶ JN0-740	▶ NVIDIA Certifications	▶ Aruba
▶ 250-405	▶ Network+	▶ Data Center Universit
▶ DS-200	▶ IBM Certified Integrat	▶ HRCI
▶ SDM_2002001040	▶ CCDH	▶ CIW
▶ ST0-250	▶ IBM Certified Advanc	▶ Patchlink
▶ H12-221	▶ eserver Certified Spe	▶ International Consorti
▶ M2180-716	▶ SAP-Certifications	▶ Acme-Packet
	▶ Network Appliance N	
	▶ HCNP	▶ Fortinet
	▶ IFPUG Certifications	▶ Ericsson
	▶ dotMobi Certification	▶ Liferay
	▶ SCMA	▶ Novell
	▶ MCSD	▶ Huawei
	▶ NCLP	▶ RSA
	▶ XMLMaster Certificat	▶ MYSQL
	▶ CS5	▶ ISM
	▶ CHA	▶ CheckPoint

<http://www.pdfbraindumps.com>

Latest pdf braindumps provider, high pass rate

**Exam** : **C7010-010**

**Title** : Fundamentals of Applying  
Tivoli Service Management  
Solutions 2008

**Vendor** : IBM

**Version** : DEMO

NO.1 Which of the following are design objects in the Documentation Center version of the Curam Impact and Relationship Analyzer (CIARA)? Which of the following are design objects in the Documentation Center version of the Curam Impact and Relationship Analyzer (CIARA)?

- A. Process flows
- B. Business process objects
- C. Application properties
- D. Database columns
- E. Cascading style sheets

**Answer:** A,B,D

NO.2 Which of the following are stored in the datamanager\_config.xml file?

- A. Database table names used by the application
- B. Database type and port numbers
- C. References to DMX files containing data to be inserted on a build
- D. References to SQL scripts to be run on a build
- E. References to CTX files containing code tables to be inserted on a build

**Answer:** C,D

NO.3 Which two of the following statements about Facade and Process classes are true? [Select 2]

- A. Facade classes may only have public methods, whereas Process classes can also have protected methods
- B. Facade classes have methods that can be invoked by the client application, whereas Process classes do not
- C. A Process class can be configured as visible to the client application if the SetClientVisible property is set to true
- D. The same operation stereotypes can be used in Facade and Process classes
- E. Facade classes form part of the Service Layer

**Answer:** B,D

NO.4 If stereotyped methods were included in an entity class MyEntity, the implementation of these methods displays in which Java class?

- A. curam.impl.MyEntity
- B. curam.base.MyEntity
- C. curam.fact.MyEntity
- D. curam.intf.MyEntity

**Answer:** B

NO.5 Which of the following are valid subdirectories of a server component directory?

- A. model
- B. codetable
- C. database
- D. EJBserver
- E. message

**Answer:** A,B,E

NO.6 Which two of the following statements about VIM files are true? [Select 2]

- A. They contain common fragments of UIM pages for reuse
- B. They require corresponding properties files
- C. They can contain any of the UIM elements supported by a UIM file
- D. They must contain a PAGE\_ID element

**Answer:** A,B

NO.7 For an entity named Sample, which of the following are shadow types that the generators may create?

- A. SampleKeyDtIs
- B. SampleKeyList
- C. SampleKey
- D. SampleListDtIs

**Answer:** B,C

NO.8 Examine the piece of code shown:

```
<SERVER_INTERFACE OPERATION="insertItem" CLASS="MaintainItem"
  NAME="insert_SI" PHASE="ACTION" />
<SERVER_INTERFACE OPERATION="getItems" CLASS="MaintainItem"
  NAME="getItems_SI" PHASE="DISPLAY" />

<CLUSTER TITLE="Cluster.Title">
  ...
  <FIELD>
    <CONNECT>
      <INITIAL PROPERTY="first" NAME="getItems_SI"
        HIDDEN_PROPERTY="second" />
    </CONNECT>
    <CONNECT>
      <TARGET PROPERTY="third" NAME="insert_SI" />
    </CONNECT>
  </FIELD>
  ...
</CLUSTER>
```

Which two of the following statements about this piece of code are true? [Select 2]

- A. The INITIAL element must be defined within a CONNECT element inside a FIELD element
- B. The HIDDEN\_PROPERTY should have the same name as the TARGET PROPERTY
- C. A drop-down list containing the values for first and second is displayed
- D. A SOURCE element could also be added in the same field that contains the INITIAL element
- E. The PROPERTY third must be defined as a list

**Answer:** A,D