

PDFBraindumps



Latest Pdf Braindumps	Top Certifications	Top Vendors
▶ LRP-614	▶ ISEB Certification	▶ ISEB
▶ BCABA	▶ OCE	▶ ASTQB
▶ JN0-740	▶ NVIDIA Certifications	▶ Aruba
▶ 250-405	▶ Network+	▶ Data Center Universit
▶ DS-200	▶ IBM Certified Integrat	▶ HRCI
▶ SDM_2002001040	▶ CCDH	▶ CIW
▶ ST0-250	▶ IBM Certified Advanc	▶ Patchlink
▶ H12-221	▶ eserver Certified Spe	▶ International Consorti
▶ M2180-716	▶ SAP-Certifications	▶ Acme-Packet
	▶ Network Appliance N	
	▶ HCNP	▶ Fortinet
	▶ IFPUG Certifications	▶ Ericsson
	▶ dotMobi Certification	▶ Liferay
	▶ SCMA	▶ Novell
	▶ MCSD	▶ Huawei
	▶ NCLP	▶ RSA
	▶ XMLMaster Certificat	▶ MYSQL
	▶ CS5	▶ ISM
	▶ CHA	▶ CheckPoint

<http://www.pdfbraindumps.com>

Latest pdf braindumps provider, high pass rate

Exam : **D-PVM-DS-23**

Title : Dell PowerMax and VMAX
Family Solutions Design 2023

Vendor : EMC

Version : DEMO

NO.1 Which Unisphere for PowerMax feature can a storage administrator use when provisioning new workloads on a PowerMax to maintain a certain Service Level?

- A. Systems Dashboard
- B. Suitability Check
- C. Service Level Objective
- D. Data Exclusion Window

Answer: C

NO.2 A PowerMax eNAS solution is being designed with VMAX Sizer.

Which parameters need to be specified in the eNAS Properties tab when creating the eNAS instance?

- A. Number of Data Movers
Capacity per Data Mover
- B. Number of Data Movers
I/O Modules per Data Mover
- C. eNAS Boot Disks and Log Space
Workload Type
- D. I/O Modules per Data Mover
eNAS Boot Disks and Log Space

Answer: C

NO.3 What method is used to collect host-based performance data for Windows hosts with BCSD?

- A. SAR
- B. MMC
- C. IOSTAT
- D. PERFMON

Answer: D

NO.4 What is the maximum number of Bricks and drives that can be configured in a VMAX 950?

- A. 2 Bricks and 100 drives
- B. 8 Bricks and 288 drives
- C. 2 Bricks and 96 drives
- D. 8 Bricks and 1920 drives

Answer: D

NO.5 A storage architect is looking for best practices to expand an existing two-Brick PowerMax 8000. They are planning to expand the PowerMax configuration to a four-Brick model for better performance.

What is a consideration?

- A. The maximum number of drives is 96
- B. All Bricks must contain at least 512 GB of cache each
- C. Only three different RAID configurations are supported
- D. Cache size of the fourth Brick can be either 1 TB or 2 TB

Answer: D

NO.6 Which optional features can be added to the zFX package for mainframe?

- A. GDDR and Unisphere 360
- B. GDDR and Mainframe Essentials Plus
- C. D@RE and AutoSwap
- D. D@RE and SRDF

Answer: B

NO.7 Which view of the Unisphere for PowerMax user interface can an architect go to for a heatmap?

- A. All Systems > Databases
- B. Selected System > Dashboard
- C. Selected System > System
- D. All Systems > Performance


Answer: B

NO.8 An architect is configuring BCSD to design SRDF/S between two new PowerMax arrays. The architect has completed the tasks for the local side of the solution, including RA Port Group, Replication Group, and site switch.

What is the correct order of steps the architect needs to take to complete the SRDF setup?

Create remote Replication Group	STEP 1
Create remote array	STEP 2
Configure network circuit	STEP 3
Create remote RA Port Group	STEP 4
Configure remote site switch	STEP 5

Answer:



NO.9 Which part of Virtual Storage Integrator provides communications to the storage?

- A. ESI
- B. SIS
- C. VASA
- D. VAAI

Answer: A

NO.10 A customer is planning to purchase a new array for a mixed Mainframe and Open Systems environment. The existing infrastructure includes 2 Gb FC switches for the Open Systems hosts. Which system can be configured to support this configuration?

- A. VMAX All Flash 250
- B. PowerMax 8000
- C. VMAX All Flash 950
- D. PowerMax 2000

Answer: B

NO.11 In a legacy SRDF/A mode, the delta sets are numbered as follows:

Capture: N, Transmit: N-1, Receive: N-1, Apply: N-2

What is the number of the Transmit Delta Set after the second cycle switch?

- A. N+2
- B. N
- C. N-1
- D. N+1

Answer: D